

# Material Safety Data Sheet Conforms to ISO 11014-1 and the South African Occupational

Health and Safety Act (Act 85 of 1993)

## **STEEL GRIT**

## **COMPANY DETAILS**

	Cape Town, 8000		
	South Africa		
e-mail:	sales@blastrite.co.za		
Website:	http://www.blastrite.com		

Emergency Tel: 08600 BLAST Tel Number: +27 (0)21 417 1700 Fax Number: +27 (0)21 425 2970

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Trade name:	Steel Grit	CAS Number:	N/A
Chemical Family:	Carbon Steel	NOISH Number:	N/A
Chemical Name:	N/A	Hazchem Code:	N/A
Synonyms:	High Carbon Steel	UN Number:	N/A

#### **SECTION 2 – COMPOSITION AND INFORMATION ON INGREDIENTS**

Iron	Fe	97	1309-37-1
Carbon	С	0.85 – 1.20	1333-86-4
Manganese	Mn	0.60 – 1.20	7439-96-5
Silicon	Si	0.50 – 1.20	7440-21-3

#### **SECTION 3 – HAZARDS IDENTIFICATION**

Non toxic Non corrosive	As supplied As supplied
Non irritant	
Non Initant	Provided standard safety precautions are taken during handling/use. i.e. gloves and eye protection in the form of safety spectacles or goggles and respiratory dust masks.
Fire-Explosion	Particles liable to produce a fire hazard are:-
	Metal dust (Dust is produced by the fragmentation of the abrasive and particles removed from the item being blasted). Dust produced when blasting metals coated with paint, rubber,
DATE OF ISSUE: 9/11/2003	PAGE 1 OF 4

DATE OF ISSUE: 9/11/2003

PAGE I OF 4



plastic etc.

### SECTION 4 – FIRST AID MEASURES

In the case of eye contact irrigate with water and seek medical assistance / advice. In the case of ingestion seek medical advice.

#### **SECTION 5 – FIRE FIGHTING MEASURES**

Material is non-flammable as supplied. In the event of dry fire (packaging): ABC powder, water, foam. In the event of metal fire: Powders, CO<sub>2</sub>.

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

Should spillage occur, material has a destabilising effect on floors and can cause staff to slip.

Simple mechanical methods (brooms and shovels) are adequate for removal.

#### **SECTION 7 – HANDLING AND STORAGE**

Handling: Material is supplied in pack weights varying from 25kg to I500kg. Proper training in MANUAL HANDLING and MECHANICAL HANDLING is advised.

Transport: Ensure secure pack.

Storage: Keep dry in a stable environment

Usage: Avoid spillage.

Disposal:

Material is readily recyclable as steel scrap in the supplied condition. Should the material become contaminated in a way during use, it is the user's duty to consider suitable means of disposal.

NOTE:

Packaging consists of wooden pallets, paper, polythene / polypropylene and cardboard and appropriate measures for recycling / disposal should be considered.

Packaging if disposed of, according to local environmental regulations, will cause no hazards to the environment or user.

PAGE 2 OF 4



#### SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Abrasive applications may result in the formation of dust which is predominantly iron, which could oxidise under prevailing conditions. The use of P.P.E. is recommended in the form of gloves, safety spectacles or goggles and respiratory dust masks

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Melting point: Physical state: Odour: Density:

1500'C Solid None 3-5 T/M<sup>3</sup> Flash point:Not aExplosiveness:Not aSolubility:InsolpH:Not a

Not applicable Not applicable Insoluble in water Not applicable

#### SECTION 10 – STABILITY AND REACTIVITY

Known decomposition product: Stability during storage: None Oxidation to form iron oxide in conditions of unstable humidity and temperature. Unlimited

Storage life:

#### **SECTION 11 – TOXICOLOGICAL INFORMATION**

Tests carried out on abrasive samples show that there are no specific pollutants or toxins.

#### **SECTION 12 – ECOLOGICAL INFORMATION**

Not available.

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Dust and used abrasive contain contaminants resulting from the industrial process. Each user must study the problem of waste in relation to his specific activity.

#### **SECTION 14 – TRANSPORT INFORMATION**

International regulations (concerning dangerous substances): NoneTransport outside storage areas:Protect against dampness.Transport inside storage areas:No special measures are required.

DATE OF ISSUE: 9/11/2003

PAGE 3 OF 4



#### **SECTION 15 – REGULATORY INFORMATION**

As supplied the product is not subject to any specific provision.

#### **SECTION 16 – OTHER INFORMATION**

The information and recommendations presented in this data sheet are to the best of our knowledge and belief accurate and reliable, but do not constitute a warranty. None of our representatives or agents are authorised to give any guarantee or warranty or make any representation in addition or contrary to the above, and we do not accept liability for claims of any kind for any loss, including, without limitation, consequential loss, injury or damage arising from the use of the information or recommendations, or of the products, which are the subject matter hereof. The products are sold subject to our standard conditions of sale and tender, copies of which are available on request.